## **CircuFlow™ 5208 Series of Intermittent Pneumatic Compression (IPC) Pumps**

The CircuFlow™ 5208 Intermittent Pneumatic Compression

(IPC) Pump Model allows patients the freedom to treat chronic venous and lymphatic disorders in the comfort of their own homes. Using intermittent gradient sequential pressure applied through multi-chambered garments, the CircuFlow™ 5208 increases blood flow and provides extracellular fluid clearances. The device's 4″x1″ digital LCD screen provides easy access to essential set up information and real-time pressure readings.

## The CircuFlow<sup>™</sup> 5208 offers two sub-therapy modes:

- Uncorking Mode which mimics the process of manual lymphatic drainage.
- Focus Mode which concentrates on areas of the limb most affected by Lymphedema Fibrosis.

## **Key Features:**

- FDA and CE Approved
- 8 individual pressure adjustable chambers
- Adjustable cycle time, distal to proximal; 20 240 seconds
- Dual operation modes: gradient mode or pressure mode
- Customizable pressure from 20 120 mmHg
- Smart pressure monitoring: preventing pressure tunneling due to operator set up error
- Ability to adjust or skip individual chamber pressures
- Automatic vacuum that drains the air from the garments for fast and easy removal after therapy
- Optional uncorking mode and focus mode











LB35.0002 Rev. D 20140312

Tel: 800-782-5666 ; Fax: 800-782-1055 www.premiermedicalinc.com





## **CircuFlow™ 8-Chamber Garment Measurement Chart**

Lower Extremity		Model		Length (in.)		Circumference (in.)			
Size	Туре	8 chamber		Inseam		Ankle	Knee	Thigh/Groin**	
Small	Full Leg	D-380S		23		21	25	30	
Small Wide	Full Leg	D-380SW		26		24	29	35	
Small Extra Wide	Full Leg	D-380SXW		24		28	35	40	
Medium	Full Leg	D-380M		29		22	27	31	
Medium Wide	Full Leg	D-380MW		29		25	31	35	
Medium Extra Wide	Full Leg	D-380MXW		28		29	36	40	
Large	Full Leg	D-380L		34		21	27	31	
Large Wide	Full Leg	D-380LW		36		22	31	40	
Upper Extremity		Model	L	Length* (in.)		Circumference (in.)			
Size	Туре	8 chamber	Axi	lla to Finge	rtips	Axilla	Elbow	Wrist	
Medium	Arm	D-382M		26.5		22	19	13	
Large	Arm	D-382L		32		23	20	14	
Medium	Arm & Shoulder	D-383M		26.5		22	19	13	
Large	Arm & Shoulder	D-383L		32		23	20	14	

Lower Extremity		Model	L	Length (cm.)		Circumference (cm.)			
Size	Туре	8 chamber		Inseam	Ankle	Knee	Thigh/Groin**		
Small	Full Leg	D-380S		58.4	53.3	63.5	76.2		
Small Wide	Full Leg	D-380SW		66	61	73.7	88.9		
Small Extra Wide	Full Leg	D-380SXW		61	71.1	88.9	101.6		
Medium	Full Leg	D-380M		73.7	55.9	68.6	78.8		
Medium Wide	Full Leg	D-380MW		73.7	63.5	78.7	88.9		
Medium Extra Wide	Full Leg	D-380MXW		71.1	73.7	91.4	101.6		
Large	Full Leg	D-380L		86.4	53.3	68.6	78.7		
Large Wide	Full Leg	D-380LW		91.4	55.9	78.7	101.6		
Upper Extremity		Model	Le	Length* (cm.)		Circumference (cm.)			
Size	Туре	8 chamber	Axi	lla to Fingerti <sub>l</sub>	s Axilla	Elbow	Wrist		
Medium	Arm	D-382M		67.3	55.9	48.3	33		
Large	Arm	D-382L		81.3	58.4	50.8	35.6		
Medium	Arm & Shoulder	D-383M		67.3	55.9	48.3	33		
Large	Arm & Shoulder	D-383L		81.3	58.4	50.8	35.6		

<sup>\*</sup> Length corresponds to the entire sleeve length from axilla to fingertips \*\* The circumference of the upper rim of the sleeve



Tel: 800-782-5666 ; Fax: 800-782-1055 www.premiermedicalinc.com



CircuFlow<sup>™</sup> 5208 Snap Connector



8 Chamber Leg Garments



**Dimensions:** 11.5"(W) x 10"(D) x 4"(H)

Weight: 12 lbs.

**Inflation Cycle**: Adjustable 2.5 – 30 seconds per chamber

**Deflation Cycle:** 12 seconds

Cycle Time: Adjustable 20 – 240 seconds
Therapy Time: Adjustable 15 – 180 minutes
End Therapy Vacuum Time: 60 seconds
Electrical: 5208: 120VAC, 60Hz, 100VA MAX
5228: 220VAC, 50Hz, 100VA MAX

Fuse Rated: 250VAC, 1.0AMP, SLO-BLO

**Applied Part: TYPE B** 

**Protection Against Electric Shock: CLASS I** 

Operation Mode: Continuous operation with intermittent loading







Tel: 800-782-5666 ; Fax: 800-782-1055 www.premiermedicalinc.com